

Poster presentation

Open Access

The effect of ingesting a caffeine-enhanced sport drink on resting energy expenditures and blood pressure in females

Brian Klepacki*, B Sue Graves and Peter Hellberg

Address: Department of Exercise Science and Health Promotion, Florida Atlantic University, 777 Glades Road, Boca Raton, Florida 33431, USA

Email: Brian Klepacki* - bkpacki@gmail.com

* Corresponding author

from 2009 International Society of Sports Nutrition Conference and Expo
New Orleans, LA, USA. 14–15 June 2009

Published: 31 July 2009

Journal of the International Society of Sports Nutrition 2009, **6**(Suppl 1):P6 doi:10.1186/1550-2783-6-S1-P6

This abstract is available from: <http://www.jissn.com/content/6/S1/P6>

© 2009 Klepacki et al; licensee BioMed Central Ltd.

Background

The effects of caffeine-enhanced drinks on resting energy expenditure and blood pressure have not been studied extensively in recreationally active females. The purpose of this study was to evaluate the effects of a thermogenic supplement, Redline Princess, on resting energy expenditure, resting blood pressure, and resting heart rate. In addition, the effect of the pre-exercise drink on subjective feelings of fatigue and vigor was also explored.

Methods

Six recreationally active females (age 24.50 ± 2.17 years; height, 162.56 ± 8.27 cm; weight 55.80 ± 7.44 kg), who were apparently healthy and recreationally active individuals, reported to the Resting Metabolic Laboratory for two separate testing sessions to participate in a randomized, double-blind crossover design. While in a fasted state, the participants were provided with either 240 ml of a caffeine-enhanced sport drink, Redline Princess (SUP), or 240 ml of a placebo (PL). Resting energy expenditure (REE), resting blood pressure (RBP), and resting heart rate (RHR) were assessed at 1-hour, 2-hour, and 3-hours post ingestion. A Profile of Moods State (POMS) questionnaire was completed each hour to assess fatigue and vigor. A two-day wash-out period was required between sessions. Data were analyzed by two-factor (group \times time) ANOVA using SAS version 9.1.3.

Results

The Redline Princess supplementation did result in a significant increase ($p = 0.045$) in REE when compared to the placebo at 60 minutes ($1.07 \pm .15$ vs. $.96 \pm .20$ kcal/min), 120 minutes ($1.02 \pm .16$ vs. $.94 \pm .19$ kcal/min), and at 180 minutes ($1.03 \pm .15$ vs. $.95 \pm .20$ kcal/min) post-ingestion. No significant differences were observed for BP, HR, fatigue or vigor ($p > 0.05$) for either group.

Conclusion

In this study, Redline Princess did have an acute significant impact on resting energy expenditure more than the placebo for several hours after ingestion in fully rested states.

Acknowledgements

The authors would like to thank Vital Pharmaceuticals, Inc. dba VPX/Redline Princess for supplying the product for the study.